









APPENDIX 2: CCG SCORECARD

NHS Airedale, Wharfedale And Craven CCG

Commissioner data with CCG plans in grey. CCGs are ranked out of 23 Yorkshire & Humber CCGs

RTT		Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Patients on incomplete non-emergency pathways (yet to start treatment) waiting no more than 18 weeks from referral	<87%	92.0%	91.1%	90.9%	91.7%	91.9%	92.1%	91.7%	92.0%	91.6%	91.9%	91.7%	92.0%	92.3%	
	87% to 92%	93.3%	93.5%	93.6%	93.6%	93.0%	92.8%	92.5%	92.8%	92.2%	92.7%	#N/A	#N/A	#N/A	
	>=92%	Rank	14/23	14/23	13/23	12/23	9/23	9/23	9/23	9/23	8/23	8/23	7/23	7/23	7/23
Number of patients waiting more that 52 weeks on incomplete pathways	>10	0	0	0	0	0	0	0	0	0	0	0	0	1	
	1 to 10														
	0	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	15/23	
Diagnostic		Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Percentage of patients waiting 6 weeks or more for a diagnostic test (15 key tests)	<6%	0.2%	0.2%	0.5%	0.3%	0.2%	0.2%	0.3%	0.5%	0.3%	1.0%	2.0%	2.9%	3.9%	
	6% to 9%	0.1%	0.1%	0.0%	0.1%	0.2%	0.3%	0.2%	0.3%	0.3%	0.2%	0.0%	0.2%	#N/A	
	>=9%	Rank	3/23	1/23	4/23	5/23	5/23	5/23	5/23	6/23	4/23	10/23	10/23	16/23	19/23
Cancer Monthly		Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Maximum two-week wait for first outpatient appointment for patients referred urgently with suspected cancer by a GP	<88%	96.2%	95.7%	97.1%	97.2%	97.9%	96.4%	98.0%	96.7%	97.8%	97.7%	97.1%	95.2%	95.0%	
	88% to 93%	96.3%	95.0%	96.2%	96.1%	96.5%	97.0%	97.7%	96.7%	97.8%	96.9%	#N/A	#N/A	#N/A	
	>=93%	Rank	8/23	10/23	6/23	6/23	4/23	9/23	4/23	4/23	6/23	3/23	3/23	13/23	9/23
Maximum two-week wait for first outpatient appointment for patients referred urgently with breast symptoms (where cancer was not initially suspected)	<88%	98.6%	100.0%	100.0%	100.0%	100.0%	93.2%	100.0%	100.0%	98.1%	93.5%	100.0%	100.0%	100.0%	
	88% to 93%	97.5%	98.8%	93.2%	94.7%	100.0%	98.0%	97.8%	95.1%	98.3%	98.8%	#N/A	#N/A	#N/A	
	>=93%	Rank	#N/A	#N/A	1/23	1/23	1/23	#N/A	#N/A	#N/A	9/23	18/23	#N/A	#N/A	1/23
Maximum 31-day wait from diagnosis to first definitive treatment for all cancers	<91%	98.8%	97.5%	100.0%	95.9%	98.7%	98.9%	100.0%	98.8%	100.0%	98.9%	98.4%	100.0%	98.8%	
	91% to 96%	100.0%	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	97.6%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=96%	Rank	10/23	20/23	1/23	21/23	9/23	7/23	1/23	6/23	1/23	7/23	9/23	1/23	9/23
Maximum 31-day wait for subsequent treatment where that treatment is surgery	<89%	100.0%	95.0%	100.0%	100.0%	100.0%	88.0%	100.0%	100.0%	100.0%	94.3%	100.0%	100.0%	93.8%	
	89% to 94%	95.2%	100.0%	100.0%	96.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.9%	#N/A	#N/A	#N/A	
	>=94%	Rank	1/23	20/23	1/23	1/23	1/23	20/23	1/23	1/23	1/23	15/23	1/23	1/23	18/23
Maximum 31-day wait for subsequent treatment where the treatment is an anti-cancer drug regimen	<93%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	93% to 98%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=98%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23
Maximum 31-day wait for subsequent treatment where the treatment is a course of radiotherapy	<89%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	89% to 94%	100.0%	100.0%	96.4%	100.0%	100.0%	96.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=94%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23
Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer	<80%	87.8%	85.4%	95.7%	84.2%	87.5%	91.8%	93.9%	80.9%	83.3%	89.7%	90.9%	83.3%	88.5%	
	80% to 85%	87.8%	89.6%	90.7%	90.2%	89.1%	93.2%	93.0%	87.8%	89.2%	92.3%	#N/A	#N/A	#N/A	
	>=85%	Rank	8/23	8/23	2/23	11/23	4/23	3/23	1/23	12/23	9/23	4/23	2/23	9/23	3/23
Maximum 62-day wait from referral from an NHS screening service to first definitive treatment for all cancers	<85%	100.0%		100.0%	60.0%	100.0%	90.0%	92.3%	100.0%	0.0%	75.0%		100.0%	100.0%	
	85% to 90%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=90%	Rank	#N/A	#N/A	#N/A	#N/A	1/23	19/23	#N/A	1/23	#N/A	19/23		1/23	1/23
Maximum 62-day wait for first definitive treatment following a consultants decision to upgrade the priority of the patients (all cancers)	NA	100.0%	100.0%	100.0%	100.0%	100.0%	50.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	66.7%	
		66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	66.7%	#N/A	#N/A	#N/A	
	Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Mixed Sex Accommodation		Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Breaches of Mixed-Sex Accommodation	>10	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1 to 10														
	0	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Mental Health		14-15 Q1	14-15 Q2	14-15 Q3	14-15 Q4	15-16 Q1	15-16 Q2	15-16 Q3	15-16 Q4	16-17 Q1	16-17 Q2	16-17 Q3	16-17 Q4	17-18 Q1	
Care Programme Approach (CPA): Percentage of people under adult mental illness specialities on CPA who were followed up within 7 days of discharge from psychiatric inpatient care during the period	<90%	100.0%	98.2%	98.2%	96.1%	96.8%	96.4%	98.0%	98.1%	100.0%	97.9%	100.0%	100.0%	100.0%	
	90% to 95%														
	>=95%	Rank	1/23	8/23	11/23	23/23	19/23	12/23	7/23	8/23	1/23	10/23	1/23	1/23	1/23
Dementia		Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Dementia diagnosis rate	<62%	75.2%	75.7%	75.4%	75.0%	75.2%	74.5%	73.4%	73.5%	73.7%	78.7%	78.5%	78.2%	78.2%	
	62% to 67%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	#N/A	#N/A	#N/A	#N/A	
	>=67%	Rank	8/23	8/23	8/23	11/23	11/23	11/23	11/23	11/23	11/23	7/23	7/23	7/23	

IAPT Monthly			May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	
IAPT 6 Weeks First Treatment	<70%		96.2%	97.6%	100.0%	96.9%	97.1%	97.1%	100.0%	100.0%	96.8%	96.4%	96.7%	95.5%	100.0%	
	70% to 75%															
	>=75%	Rank	6/23	6/23	1/23	6/23	7/23	9/23	1/23	1/23	7/23	7/23	5/22	8/23		
IAPT 18 Weeks First Treatment	<90%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%	100.0%	100.0%	
	90% to 95%															
	>=95%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	20/23	1/22	1/23		
IAPT (Rolling 3 month)			May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	
IAPT Access (rolling 3 months)	<3.75%		3.6%	3.6%	3.6%	4.0%	4.0%	4.3%	4.4%	4.7%	4.8%	4.4%	4.2%	4.0%	4.6%	
	3.75% to 4.20%		3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	4.2%	4.2%	
	>=4.20%	Rank	14/23	13/23	11/23	8/23	9/23	6/23	6/23	4/23	3/23	2/23	8/23	11/23		
IAPT Recovery rate (rolling 3 months)	<45%		50.5%	51.5%	55.4%	56.1%	57.6%	55.6%	54.6%	55.1%	56.5%	61.4%	61.2%	60.0%	58.7%	
	45% to 50%															
	>=50%	Rank	7/23	7/23	2/23	3/23	2/23	2/23	3/23	3/23	2/23	1/23	1/23	2/23		
Early Intervention Psychosis - 2 Week Waits (rolling quarter)			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Early intervention in psychosis - 2 week wait (Rolling quarter)	<45%		70.0%	58.3%	56.3%	53.8%	56.3%	66.7%	61.1%	71.4%	57.9%	75.0%	63.2%	70.6%	66.7%	
	45% to 50%															
	>=50%	Rank	14/23	20/23	22/23	21/23	21/23	18/23	20/23	17/23	21/23	13/23	18/23	15/23		
Safe Environment and Protecting from Avoidable Harm			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Incidence of healthcare associated infection (HCAI) i) MRSA - Cases which have been assigned to the CCG following a Post Infection Review	>0		0	0	0	1	0	0	0	0	0	0	0	0	0	
		Rank	1/23	1/23	1/23	23/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Incidence of healthcare associated infection (HCAI) ii) C.difficile	>Ceiling		3	2	3	1	3	2	5	4	3	1	7	2	1	
	<=Ceiling		8/23	3/23	5/23	2/23	6/23	2/23	13/23	11/23	5/23	1/23	15/23	6/23	1/23	
	Ceiling	Rank	3	3	3	3	3	3	3	3	3	3	3	3	3	
Ambulance Calls (Pilot Phase 2.2) **			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Category 1 - Response within 8mins	<70%					59.2%	59.4%	56.7%	66.4%	61.2%	67.6%	59.8%	60.0%	70.3%	67.7%	
	70% to 75%															
	>=75%															
Category 2R - Response within 19mins by a resource.	NA					61.9%	62.7%	69.6%	77.6%	66.0%	83.9%	78.6%	81.1%	78.0%	80.7%	
			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Category 2T - Response within 19mins by DCA unless RRV arrives and DCA is not required	NA					55.3%	65.8%	61.4%	65.1%	64.9%	69.0%	70.3%	68.5%	70.8%	68.3%	
			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

** YAS have been participating in a pilot which has involved new call categories. The initial pilot ran from 21st April 2016 until 19th October 2016 and the second phase began on 20th October 2016. Due to the changes in categories direct comparison between the different phases cannot be done because they don't necessarily represent the same activity. Currently no performance target has been set for the 2R and 2T categories.

APPENDIX 2: CCG SCORECARD

NHS Bradford Districts CCG

Commissioner data with CCG plans in grey. CCGs are ranked out of 23 Yorkshire & Humber CCGs

RTT			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Patients on incomplete non-emergency pathways (yet to start treatment) waiting no more than 18 weeks from referral	<87%		92.1%	91.1%	90.6%	90.3%	90.5%	90.9%	90.0%	89.4%	89.7%	90.0%	89.3%	90.2%	89.7%	
	87% to 92%		94.8%	94.0%	93.8%	93.8%	93.7%	93.8%	94.1%	94.1%	94.1%	94.1%	#N/A	#N/A	#N/A	
	>=92%	Rank	13/23	15/23	15/23	16/23	16/23	16/23	16/23	16/23	15/23	15/23	16/23	15/23	15/23	
Number of patients waiting more than 52 weeks on incomplete pathways	>10		0	0	0	0	0	0	0	0	0	0	1	0	0	
	1 to 10															
	0	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	13/23	1/23	1/23	
Diagnostic			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Percentage of patients waiting 6 weeks or more for a diagnostic test (15 key tests)	<6%		1.2%	1.4%	2.6%	0.7%	0.4%	0.8%	0.5%	1.2%	0.6%	1.4%	2.4%	3.1%	3.5%	
	1% to 6%		0.4%	0.2%	0.4%	0.5%	0.4%	0.4%	0.4%	0.4%	0.4%	0.4%	0.4%	0.4%	#N/A	
	>=1%	Rank	16/23	15/23	20/23	14/23	8/23	16/23	9/23	12/23	9/23	13/23	13/23	18/23	17/23	
Cancer Monthly			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Maximum two-week wait for first outpatient appointment for patients referred urgently with suspected cancer by a GP	<88%		95.3%	96.3%	96.5%	98.2%	97.8%	96.5%	97.4%	96.8%	96.8%	96.4%	93.8%	94.8%	94.2%	
	88% to 93%		94.8%	94.7%	94.6%	96.1%	96.3%	95.7%	95.6%	95.6%	95.6%	95.6%	#N/A	#N/A	#N/A	
	>=93%	Rank	11/23	6/23	7/23	1/23	5/23	8/23	8/23	2/23	2/23	11/23	12/23	12/23	14/23	14/23
Maximum two-week wait for first outpatient appointment for patients referred urgently with breast symptoms (where cancer was not initially suspected)	<88%		95.2%	93.3%	100.0%	100.0%	92.3%	100.0%	100.0%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	
	88% to 93%		100.0%	96.4%	93.9%	94.4%	100.0%	96.6%	96.6%	96.6%	96.6%	96.6%	#N/A	#N/A	#N/A	
	>=93%	Rank	#N/A	#N/A	1/23	1/23	22/23	#N/A	#N/A	#N/A	1/23	1/23	#N/A	#N/A	1/23	
Maximum 31-day wait from diagnosis to first definitive treatment for all cancers	<91%		99.1%	100.0%	100.0%	99.0%	98.2%	97.6%	99.0%	99.1%	96.6%	98.4%	99.1%	99.3%	99.2%	
	91% to 96%		99.3%	97.8%	97.2%	99.2%	97.0%	100.0%	98.4%	98.5%	98.5%	98.5%	#N/A	#N/A	#N/A	
	>=96%	Rank	8/23	1/23	1/23	2/23	12/23	14/23	9/23	4/23	19/23	9/23	5/23	5/23	3/23	
Maximum 31-day wait for subsequent treatment where that treatment is surgery	<89%		96.6%	100.0%	100.0%	97.4%	97.4%	97.1%	91.2%	91.7%	94.9%	93.5%	96.4%	97.0%	100.0%	
	89% to 94%		95.0%	97.3%	100.0%	96.9%	100.0%	97.6%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=94%	Rank	13/23	1/23	1/23	12/23	14/23	10/23	19/23	15/23	16/23	18/23	14/23	15/23	1/23	
Maximum 31-day wait for subsequent treatment where the treatment is an anti-cancer drug regimen	<93%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	93% to 98%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=98%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Maximum 31-day wait for subsequent treatment where the treatment is a course of radiotherapy	<89%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	89% to 94%		97.7%	100.0%	97.8%	100.0%	97.8%	100.0%	100.0%	97.4%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=94%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer	<80%		79.2%	89.1%	89.7%	88.7%	85.3%	79.0%	80.6%	79.4%	78.1%	91.5%	78.9%	82.8%	77.8%	
	80% to 85%		86.1%	87.0%	85.9%	85.9%	88.6%	87.3%	87.5%	86.1%	85.1%	85.1%	#N/A	#N/A	#N/A	
	>=85%	Rank	19/23	5/23	4/23	3/23	7/23	15/23	13/23	16/23	16/23	2/23	14/23	11/23	19/23	
Maximum 62-day wait from referral from an NHS screening service to first definitive treatment for all cancers	<85%		100.0%	100.0%	100.0%	100.0%	80.0%	100.0%	100.0%	100.0%	71.4%	93.8%	93.3%	100.0%	100.0%	
	85% to 90%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=90%	Rank	#N/A	#N/A	#N/A	#N/A	21/23	1/23	#N/A	1/23	#N/A	13/23	#N/A	1/23	1/23	
Maximum 62-day wait for first definitive treatment following a consultants decision to upgrade the priority of the patients (all cancers)	NA		66.7%	100.0%	100.0%	100.0%	33.3%	100.0%	75.0%	#N/A	100.0%	50.0%	100.0%	100.0%	100.0%	
			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
		Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
Mixed Sex Accommodation			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Breaches of Mixed-Sex Accommodation	>10		0	0	0	0	0	1	0	0	0	0	0	0	0	
	1 to 10															
	0	Rank	1/23	1/23	1/23	1/23	1/23	1/23	21/23	1/23	1/23	1/23	1/23	1/23		
Mental Health			14-15 Q1	14-15 Q2	14-15 Q3	14-15 Q4	15-16 Q1	15-16 Q2	15-16 Q3	15-16 Q4	16-17 Q1	16-17 Q2	16-17 Q3	16-17 Q4	17-18 Q1	
Care Programme Approach (CPA): Percentage of people under adult mental illness specialities on CPA who were followed up within 7 days of discharge from psychiatric inpatient care during the period	<90%		97.8%	97.5%	98.3%	100.0%	98.0%	99.1%	98.9%	93.7%	96.0%	98.3%	97.0%	98.8%	97.1%	
	90% to 95%															
	>=95%	Rank	10/23	13/23	9/23	1/23	14/23	4/23	6/23	21/23	20/23	8/23	14/23	10/23	#N/A	
Dementia			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Dementia diagnosis rate	<62%		84.2%	84.2%	84.0%	83.4%	84.2%	84.1%	83.4%	83.1%	83.2%	81.6%	82.0%	81.9%	82.0%	
	62% to 67%		75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	75.0%	#N/A	#N/A	#N/A		
	>=67%	Rank	3/23	3/23	3/23	3/23	3/23	4/23	4/23	4/23	4/23	1/23	1/23	1/23		

IAPT Monthly			May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	
IAPT 6 Weeks First Treatment	<70%		90.6%	89.4%	87.5%	90.6%	94.5%	90.7%	92.9%	93.0%	91.1%	94.6%	94.4%	95.3%	95.9%	
	70% to 75%															
	>=75%	Rank	10/23	12/23	15/23	12/23	10/23	16/23	13/23	15/23	14/23	#N/A	7/22	9/23		
IAPT 18 Weeks First Treatment	<90%		98.1%	97.9%	95.0%	98.1%	98.2%	100.0%	98.2%	97.7%	98.2%	98.2%	100.0%	100.0%	100.0%	
	90% to 95%															
	>=95%	Rank	12/23	14/23	19/23	14/23	17/23	1/23	18/23	19/23	17/23	16/23				
IAPT (Rolling 3 month)			May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	
IAPT Access (rolling 3 months)	<3.75%		3.4%	3.2%	2.8%	3.3%	3.4%	3.7%	3.7%	3.9%	3.8%	3.9%	3.9%	3.8%	4.1%	
	3.8%		3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	4.2%		
	>=4.20%	Rank	16/23	20/23	21/23	14/23	14/23	12/23	13/23	11/23	14/23	12/23	13/23	14/23		
IAPT Recovery rate (rolling 3 months)	<45%		43.8%	47.2%	48.5%	45.2%	43.8%	45.9%	47.5%	49.7%	50.7%	51.7%	51.6%	52.1%	56.0%	
	45% to 50%															
	>=50%	Rank	19/23	13/23	11/23	14/23	20/23	16/23	13/23	10/23	10/23	9/23	11/23	11/23		
Early Intervention Psychosis - 2 Week Waits (rolling quarter)			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Early intervention in psychosis - 2 week wait (Rolling quarter)	<45%		63.4%	67.3%	70.3%	79.4%	78.1%	75.7%	64.3%	73.8%	73.2%	82.9%	76.5%	79.5%	80.4%	
	45% to 50%															
	>=50%	Rank	17/23	19/23	17/23	14/23	16/23	14/23	18/23	15/23	13/23	9/23	11/23	11/23		
Safe Environment and Protecting from Avoidable Harm			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Incidence of healthcare associated infection (HCAI) i) MRSA - Cases which have been assigned to the CCG following a Post Infection Review	>0		0	0	0	0	1	1	1	0	0	1	1	1	1	
		Rank	1/23	1/23	1/23	1/23	22/23	22/23	22/23	1/23	1/23	22/23	21/23	18/23	19/23	
Incidence of healthcare associated infection (HCAI) ii) C.difficile	>Ceiling		5	7	10	6	16	3	6	9	6	7	4	6	8	
	<=Ceiling		15/23	15/23	21/23	12/23	22/23	6/23	16/23	19/23	18/23	18/23	10/23	19/23	19/23	
	Ceiling	Rank	8	10	14	9	8	8	9	9	9	11	7	14	8	
Ambulance Calls (Pilot Phase 2.2) **			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Category 1 - Response within 8mins	<70%					62.3%	61.7%	63.9%	70.0%	71.7%	64.9%	67.6%	74.4%	70.8%	77.2%	
	70% to 75%															
	>=75%															
Category 2R - Response within 19mins by a resource.	NA					58.3%	79.1%	79.9%	89.4%	82.8%	81.3%	89.7%	82.5%	86.8%	83.9%	
			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Category 2T - Response within 19mins by DCA unless RRV arrives and DCA is not required	NA					67.0%	71.5%	71.1%	80.3%	77.6%	78.3%	83.4%	81.8%	79.2%	73.8%	
			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

** YAS have been participating in a pilot which has involved new call categories. The initial pilot ran from 21st April 2016 until 19th October 2016 and the second phase began on 20th October 2016. Due to the changes in categories direct comparison between the different phases cannot be done because they don't necessarily represent the same activity. Currently no performance target has been set for the 2R and 2T categories.

APPENDIX 2: CCG SCORECARD

NHS Bradford City CCG

Commissioner data with CCG plans in grey. CCGs are ranked out of 23 Yorkshire & Humber CCGs

RTT			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Patients on incomplete non-emergency pathways (yet to start treatment) waiting no more than 18 weeks from referral	<87%		90.7%	89.6%	89.4%	90.1%	89.6%	91.4%	90.1%	89.7%	89.4%	89.7%	88.4%	89.0%	88.7%	
	87% to 92%		93.7%	92.3%	92.1%	93.5%	93.3%	94.0%	93.4%	93.4%	93.4%	93.4%	#N/A	#N/A	#N/A	
	>=92%	Rank	17/23	17/23	17/23	17/23	17/23	13/23	15/23	15/23	16/23	17/23	17/23	17/23	17/23	
Number of patients waiting more that 52 weeks on incomplete pathways	>10		0	0	0	0	0	0	0	0	0	0	0	0	0	
	1 to 10															
	0	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Diagnostic			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Percentage of patients waiting 6 weeks or more for a diagnostic test (15 key tests)	<6%		1.7%	1.8%	3.0%	0.4%	0.1%	0.6%	0.3%	1.1%	0.7%	1.3%	2.3%	3.1%	4.1%	
	1% to 6%		0.4%	0.3%	0.3%	0.6%	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	#N/A	
	>=1%	Rank	18/23	19/23	23/23	6/23	1/23	12/23	6/23	11/23	13/23	12/23	11/23	17/23	21/23	
Cancer Monthly			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Maximum two-week wait for first outpatient appointment for patients referred urgently with suspected cancer by a GP	<88%		94.7%	95.8%	97.2%	96.9%	97.2%	96.7%	94.3%	94.9%	96.2%	97.8%	92.9%	94.7%	96.6%	
	88% to 93%		97.7%	94.0%	96.8%	93.3%	96.1%	97.2%	96.4%	96.4%	96.4%	96.4%	#N/A	#N/A	#N/A	
	>=93%	Rank	13/23	9/23	5/23	7/23	6/23	4/23	20/23	14/23	16/23	2/23	16/23	15/23	5/23	
Maximum two-week wait for first outpatient appointment for patients referred urgently with breast symptoms (where cancer was not initially suspected)	<88%				100.0%	100.0%	100.0%				100.0%	100.0%			100.0%	
	88% to 93%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=93%	Rank			1/23	1/23	1/23				1/23	1/23			1/23	
Maximum 31-day wait from diagnosis to first definitive treatment for all cancers	<91%		91.7%	100.0%	92.9%	100.0%	94.7%	100.0%	91.7%	82.4%	100.0%	93.8%	96.2%	100.0%	100.0%	
	91% to 96%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=96%	Rank	22/23	1/23	23/23	1/23	23/23	1/23	23/23	23/23	1/23	23/23	17/23	1/23	1/23	
Maximum 31-day wait for subsequent treatment where that treatment is surgery	<89%		100.0%	100.0%	83.3%	100.0%	100.0%	100.0%	100.0%	60.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	89% to 94%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=94%	Rank	1/23	1/23	21/23	1/23	1/23	1/23	1/23	23/23	1/23	1/23	1/23	1/23	1/23	
Maximum 31-day wait for subsequent treatment where the treatment is an anti-cancer drug regimen	<93%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	93% to 98%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=98%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Maximum 31-day wait for subsequent treatment where the treatment is a course of radiotherapy	<89%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	89% to 94%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=94%	Rank	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	
Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer	<80%		83.3%	80.0%	100.0%	70.0%	77.8%	91.7%	85.7%	66.7%	63.6%	62.5%	76.9%	68.8%	90.0%	
	80% to 85%		100.0%	90.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	#N/A	#N/A	#N/A	
	>=85%	Rank	14/23	20/23	1/23	23/23	17/23	4/23	8/23	21/23	23/23	22/23	18/23	23/23	1/23	
Maximum 62-day wait from referral from an NHS screening service to first definitive treatment for all cancers	<85%			100.0%		100.0%	100.0%	100.0%	100.0%	66.7%		100.0%	100.0%	100.0%	100.0%	
	85% to 90%		#N/A	#N/A	#N/A	#N/A	100.0%	100.0%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
	>=90%	Rank	#N/A	#N/A	#N/A	#N/A	1/23	1/23	#N/A	22/23	1/23	#N/A	1/23	1/23	1/23	
Maximum 62-day wait for first definitive treatment following a consultants decision to upgrade the priority of the patients (all cancers)			#N/A	#N/A	100.0%	100.0%	#N/A	100.0%	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
			#N/A	#N/A			#N/A									
		Rank	#N/A	#N/A			#N/A									
Mixed Sex Accommodation			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Breaches of Mixed-Sex Accommodation	>10		0	0	1	0	0	0	0	0	0	0	0	0	0	
	1 to 10															
	0	Rank	NA	NA	1/23	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Mental Health			14-15 Q1	14-15 Q2	14-15 Q3	14-15 Q4	15-16 Q1	15-16 Q2	15-16 Q3	15-16 Q4	16-17 Q1	16-17 Q2	16-17 Q3	16-17 Q4	17-18 Q1	
Care Programme Approach (CPA): Percentage of people under adult mental illness specialities on CPA who were followed up within 7 days of discharge from psychiatric inpatient care during the period	<90%		100.0%	97.7%	97.4%	98.0%	97.1%	95.2%	89.7%	94.6%	97.5%	92.7%	100.0%	100.0%	96.5%	
	90% to 95%															
	>=95%	Rank	1/23	12/23	13/23	14/23	17/23	17/23	23/23	19/23	12/23	21/23	1/23	1/23	#N/A	
Dementia			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Dementia diagnosis rate	<62%		89.7%	91.2%	94.0%	95.5%	95.0%	95.0%	94.2%	97.3%	97.5%	81.0%	80.3%	81.4%	81.8%	
	62% to 67%		75.1%	75.1%	75.1%	75.1%	75.1%	75.1%	75.1%	75.1%	75.1%	#N/A	#N/A	#N/A	#N/A	
	>=67%	Rank	2/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	2/23	2/23	2/23	2/23	

IAPT Monthly				May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17		
IAPT 6 Weeks First Treatment	<70%			88.9%	88.2%	94.1%	94.1%	93.3%	100.0%	94.4%	100.0%	100.0%	100.0%	91.7%	100.0%	90.9%		
	70% to 75%																	
	>=75%	Rank		12/23	13/23	11/23	11/23	13/23	1/23	11/23	1/23	1/23	1/23					
IAPT 18 Weeks First Treatment	<90%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		
	90% to 95%																	
	>=95%	Rank		1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23					
IAPT (Rolling 3 month)				May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17		
IAPT Access (rolling 3 months)	<3.75%			3.4%	3.4%	2.9%	3.2%	3.1%	3.3%	3.3%	3.8%	4.0%	4.3%	4.4%	5.0%	5.4%		
				3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	3.8%	4.2%	4.2%		
	>=4.20%	Rank		17/23	16/23	19/23	15/23	19/23	17/23	19/23	13/23	8/23	6/23					
IAPT Recovery rate (rolling 3 months)	<45%			39.6%	40.0%	42.3%	47.1%	49.0%	48.9%	43.5%	46.5%	47.5%	50.0%	47.2%	45.5%	44.1%		
	45% to 50%			21/23	22/23	17/23	10/23	10/23	13/23	20/23	16/23	15/23	13/23					
	>=50%	Rank		21/23	22/23	17/23	10/23	10/23	13/23	20/23	16/23	15/23	13/23					
Early Intervention Psychosis - 2 Week Waits (rolling quarter)				Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17		
Early intervention in psychosis - 2 week wait (Rolling quarter)	<45%			56.5%	57.1%	62.5%	80.8%	85.7%	78.9%	70.4%	74.1%	71.0%	78.3%	73.9%	83.3%	75.0%		
	45% to 50%			19/23	21/23	20/23	13/23	10/23	12/23	16/23	16/23	12/23	12/23	10/23				
	>=50%	Rank		19/23	21/23	20/23	13/23	10/23	12/23	16/23	16/23	12/23	12/23	10/23				
Safe Environment and Protecting from Avoidable Harm				Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17		
Incidence of healthcare associated infection (HCAI) i) MRSA - Cases which have been assigned to the CCG following a Post Infection Review	>0			0	0	0	0	0	0	0	0	0	0	0	0	0		
				1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23		
		Rank		1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23	1/23		1/23
Incidence of healthcare associated infection (HCAI) ii) C.difficile	>Ceiling			2	1	3	0	1	1	1	1	2	1	1	1	1		
	<=Ceiling	Rank		3/23	1/23	5/23	1/23	2/23	1/23	1/23	1/23	1/23	1/23	3/23	2/23	1/23		
	Ceiling			0	0	1	2	2	1	2	2	2	9	1	1	0		
Ambulance Calls (Pilot Phase 2.2) **				Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17		
Category 1 - Response within 8mins	<70%						64.0%	78.5%	68.0%	73.6%	77.3%	74.3%	81.8%	79.1%	79.5%	80.5%		
	70% to 75%																	
	>=75%																	
Category 2R - Response within 19mins by a resource.	NA						66.7%	84.2%	80.7%	83.6%	80.5%	92.7%	91.2%	90.2%	84.5%	84.3%		
							NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Category 2T - Response within 19mins by DCA unless RRV arrives and DCA is not required	NA						72.6%	77.1%	75.9%	82.9%	82.0%	81.4%	86.5%	84.2%	83.3%	78.5%		
							NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

** YAS have been participating in a pilot which has involved new call categories. The initial pilot ran from 21st April 2016 until 19th October 2016 and the second phase began on 20th October 2016. Due to the changes in categories direct comparison between the different phases cannot be done because they don't necessarily represent the same activity. Currently no performance target has been set for the 2R and 2T categories.

APPENDIX 2: CCG SCORECARD

PROVIDER LEVEL PERFORMANCE

Airedale NHS Foundation Hospital Trust

A&E			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
A&E waits -Percentage of A&E attendances where the patient spent 4 hours or less in A&E from arrival to transfer, admission or discharge	<95%		90.3%	88.8%	91.3%	90.2%	90.8%	87.0%	88.4%	94.5%	93.1%	93.3%	93.7%	95.2%	95.6%	
	95% to 95%															
	>=95%	STF										91.7%	91.7%	91.7%	91.7%	
A&E Trolley Waits over 12 hours	>0		0	0	0	0	0	0	1	0	0	0	0	0	0	
	0															
RTT			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Patients on incomplete non-emergency pathways (yet to start treatment) waiting no more than 18 weeks from referral	<87%		91.2%	91.0%	91.8%	91.8%	92.5%	92.4%	92.8%	92.3%	92.9%	92.5%	93.0%	93.2%	93.2%	
	87% to 92%															
	>=92%	STF										92.0%	92.0%	92.0%	92.0%	
Diagnostic			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Percentage of patients waiting 6 weeks or more for a diagnostic test (15 key tests)	<6%		0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	2.0%	3.0%	3.3%	
	1% to 6%															
	>=1%	STF											6.0%	6.0%	6.0%	
Cancer Monthly			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer	<80%		91.2%	89.7%	95.4%	87.1%	95.0%	93.0%	95.7%	85.5%	91.3%	93.8%	92.9%	90.1%	91.5%	
	80% to 85%															
	>=85%	STF											85.0%	85.0%	85.0%	
Cancelled Elective Operations			14-15 Q1	14-15 Q2	14-15 Q3	14-15 Q4	15-16 Q1	15-16 Q2	15-16 Q3	15-16 Q4	16-17 Q1	16-17 Q2	16-17 Q3	16-17 Q4	17-18 Q1	
Cancelled Operations - For non clinical reasons rebooked > 28 days	>10		0	0	1	0	0	0	1	0	1	3	0	1	0	
	1 to 10															
	0	Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
Safe Environment and Protecting from Avoidable Harm			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Venous Thromboembolism (VTE) Assessment Percentage	90%		96.2%	95.0%	95.0%	95.0%	94.3%	95.3%	95.8%	94.7%	93.9%	93.8%	93.3%	96.2%	97.4%	
	90% to 95%															
	>=95%	Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
Delayed Transfers			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Bed Day Delays per Occupied Bed			2.49%	4.09%	4.51%	4.79%	4.34%	3.36%	2.01%	2.14%	1.58%	1.54%	1.28%	2.43%	1.40%	

Bradford NHS Teaching Hospital Foundation Trust

A&E			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
A&E waits -Percentage of A&E attendances where the patient spent 4 hours or less in A&E from arrival to transfer, admission or discharge	<95%		89.8%	90.1%	88.2%	85.0%	85.1%	82.1%	86.8%	90.1%	92.4%	87.4%	81.9%	86.3%	88.1%	
	95% to 95%															
	>=95%	STF										92.1%	89.6%	88.4%	90.3%	
A&E Trolley Waits over 12 hours	>0		0	0	0	0	0	0	0	0	0	0	0	0	0	
	0															
RTT			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Patients on incomplete non-emergency pathways (yet to start treatment) waiting no more than 18 weeks from referral	<87%		90.6%	90.1%	89.7%	89.8%	90.5%	89.7%	89.1%	89.1%	89.3%	88.3%	89.0%	88.7%	88.0%	
	87% to 92%															
	>=92%	STF										89.1%	89.2%	89.7%	90.3%	
Diagnostic			Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	
Percentage of patients waiting 6 weeks or more for a diagnostic test (15 key tests)	<6%		1.6%	2.7%	0.5%	0.3%	0.8%	0.6%	1.3%	1.0%	3.1%	4.1%	4.7%	6.2%	6.1%	
	1% to 6%															
	>=1%	STF											2.4%	2.4%	1.9%	
Cancer Monthly			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer	<80%		82.7%	89.0%	89.5%	87.6%	83.6%	83.1%	84.2%	77.6%	75.9%	90.2%	80.3%	79.7%	76.8%	
	80% to 85%															
	>=85%	STF											80.0%	82.1%	83.1%	
Cancelled Elective Operations			14-15 Q1	14-15 Q2	14-15 Q3	14-15 Q4	15-16 Q1	15-16 Q2	15-16 Q3	15-16 Q4	16-17 Q1	16-17 Q2	16-17 Q3	16-17 Q4	17-18 Q1	
Cancelled Operations - For non clinical reasons rebooked > 28 days	>10		4	2	1	0	1	2	1	5	1	1	2	11	2	
	1 to 10															
	0	Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
Safe Environment and Protecting from Avoidable Harm			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Venous Thromboembolism (VTE) Assessment Percentage	90%		96.8%	85.1%	82.8%	83.5%	82.2%	83.8%	78.3%	78.0%	77.3%	83.8%	87.0%	89.4%	90.9%	
	90% to 95%															
	>=95%	Rank	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
Delayed Transfers			Jun-16	Jul-16	Aug-16	Sep-16	Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	
Bed Day Delays per Occupied Bed			1.96%	1.26%	1.97%	1.73%	2.52%	2.50%	2.19%	2.17%	2.85%	2.52%	2.62%	1.16%	1.31%	