



Public Health
England

Public Health Outcomes Framework - at a glance summary

Bradford

Key

Significance compared to goal / England average:

Significantly worse	Significantly lower	↑ Increasing / Getting worse	↑ Increasing / Getting better
Not significantly different	Significantly higher	↓ Decreasing / Getting worse	↓ Decreasing / Getting better
Significantly better	Significance not tested	↑ Increasing	↓ Decreasing
		→ No significant change	– Could not be calculated

Notes

- Indicators that are shaded blue rather than red/amber/green are presented in this way because it is not straightforward to determine for these indicators whether a high value is good or bad.
- In the change columns, prev refers to the change in value compared to the previous data point. Statistically significant changes highlighted in this column have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant.
- Recent trend refers to the analysis done in the Fingertips tool which tests for a statistical trend. Changes in this column are calculated using a chi-squared statistical test for trend. This is currently only available for certain indicator types; full details are available in the tool.
- Increases or decreases are only shown if they are statistically significant. Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator.

A. Overarching indicators

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
A01a - Healthy life expectancy at birth	All ages	Male	2016 - 18	60.1	61.5	63.4	Years	—	→
A01a - Healthy life expectancy at birth	All ages	Female	2016 - 18	60.0	62.1	63.9	Years	—	→
A01b - Life expectancy at birth	All ages	Male	2017 - 19	78.0	78.8	79.8	Years	—	→
A01b - Life expectancy at birth	All ages	Female	2017 - 19	81.9	82.5	83.4	Years	—	→
A01c - Disability-free life expectancy at birth	All ages	Male	2016 - 18	60.8	61.0	62.9	Years	—	→
A01c - Disability-free life expectancy at birth	All ages	Female	2016 - 18	60.8	60.0	61.9	Years	—	→
A02a - Inequality in life expectancy at birth	All ages	Male	2016 - 18	9.10	10.4	9.50	Years	—	→
A02a - Inequality in life expectancy at birth	All ages	Female	2016 - 18	8.00	8.50	7.50	Years	—	→
A02c - Inequality in healthy life expectancy at birth LA	All ages	Male	2009 - 13	19.1	-	-	Years	—	—
A02c - Inequality in healthy life expectancy at birth LA	All ages	Female	2009 - 13	22.1	-	-	Years	—	—
A01a - Healthy life expectancy at 65	65	Male	2016 - 18	9.25	10.1	10.6	Years	—	→
A01a - Healthy life expectancy at 65	65	Female	2016 - 18	9.60	10.6	11.1	Years	—	→
A01b - Life expectancy at 65	65	Male	2017 - 19	17.8	18.4	19.0	Years	—	→
A01b - Life expectancy at 65	65	Female	2017 - 19	20.4	20.7	21.3	Years	—	→
A01c - Disability-free life expectancy at 65	65	Male	2016 - 18	8.08	8.98	9.90	Years	—	→
A01c - Disability-free life expectancy at 65	65	Female	2016 - 18	9.91	9.27	9.82	Years	—	→
A02a - Inequality in life expectancy at 65	65	Male	2016 - 18	5.10	5.20	5.00	Years	—	→
A02a - Inequality in life expectancy at 65	65	Female	2016 - 18	4.80	5.30	4.60	Years	—	→

B. Wider determinants of health

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
B01b - Children in absolute low income families (under 16s)	<16 yrs	Persons	2018/19	30.4	20.4	15.3	%	→	↑
B01b - Children in relative low income families (under 16s)	<16 yrs	Persons	2018/19	34.7	23.4	18.4	%	↑	↑
B02a - School readiness: percentage of children achieving a good level of development at the end of Reception	5 yrs	Persons	2018/19	68.0	70.0	71.8	%	↑	→
B02a - School Readiness: percentage of children with free school meal status achieving a good level of development at the end of Reception	5 yrs	Persons	2018/19	55.4	54.1	56.5	%	→	→
B02b - School readiness: percentage of children achieving the expected level in the phonics screening check in Year 1	6 yrs	Persons	2018/19	80.9	80.2	81.8	%	↑	→
B02b - School readiness: percentage of children with free school meal status achieving the expected level in the phonics screening check in Year 1	6 yrs	Persons	2018/19	73.3	68.2	70.1	%	↑	→
B02c - School readiness: percentage of children achieving at least the expected level in communication and language skills at the end of Reception	5 yrs	Persons	2018/19	81.4	82.1	82.2	%	↑	→
B02d - School readiness: percentage of children achieving at least the expected level of development in communication, language and literacy skills at the end of Reception	5 yrs	Persons	2018/19	68.4	70.6	72.6	%	↑	→
B03 - Pupil absence	5-15 yrs	Persons	2018/19	5.42	4.96	4.73	%	↑	→
B04 - First time entrants to the youth justice system	10-17 yrs	Persons	2018	330.3	244.7	238.5	per 100,000	↓	↓
B05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known	16-17 yrs	Persons	2018	6.13	5.98	5.53	%	—	→
B06a - Adults with a learning disability who live in stable and appropriate accommodation	18-64 yrs	Persons	2018/19	86.3	79.5	77.4	%	→	→
B06b - Adults in contact with secondary mental health services who live in stable and appropriate accommodation	18-69 yrs	Persons	2018/19	72.0	70.0	58.0	%	—	→
B08a - Gap in the employment rate between those with a long-term health condition and the overall employment rate	16-64 yrs	Persons	2019/20	11.0	10.9	10.6	Percentage points	—	→
B08b - Gap in the employment rate between those with a learning disability and the overall employment rate	18-64 yrs	Persons	2018/19	63.9	68.0	69.7	Percentage points	—	→
B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	18-69 yrs	Persons	2018/19	58.0	63.7	67.6	Percentage points	—	→
B08d - Percentage of people aged 16-64 in employment	16-64 yrs	Persons	2019/20	66.2	74.0	76.2	%	→	→
B09a - Sickness absence - the percentage of employees who had at least one day off in the previous week	16+ yrs	Persons	2017 - 19	1.72	2.07	2.08	%	—	→
B09b - Sickness absence - the percentage of working days lost due to sickness absence	16+ yrs	Persons	2017 - 19	1.00	1.18	1.09	%	—	→
B11 - Domestic abuse-related incidents and crimes	16+ yrs	Persons	2018/19	38.9 x	32.7	27.4	per 1,000	—	—
B12a - Violent crime - hospital admissions for violence (including sexual violence)	All ages	Persons	2016/17 - 18/19	64.6	54.3	44.9	per 100,000	—	→
B12b - Violent crime - violence offences per 1,000 population	All ages	Persons	2019/20	53.2 ~	37.8 ~	29.5 ~	per 1,000	↑	→
B12c - Violent crime - sexual offences per 1,000 population	All ages	Persons	2019/20	3.89 ~	3.00 ~	2.52 ~	per 1,000	↑	↓
B13a - Re-offending levels - percentage of offenders who re-offend	All ages	Persons	2017/18	31.0	30.8	29.1	%	—	—
B13b - Re-offending levels - average number of re-offences per re-offender	All ages	Persons	2017/18	4.57	4.27	4.05		—	—
B13c - First time offenders	10+ yrs	Persons	2018	249.2	204.4	210.7	per 100,000	↓	→

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
B14a - The rate of complaints about noise	All ages	Persons	2018/19	4.44	6.43 @	6.83 @	per 1,000	—	→
B14b - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	All ages	Persons	2016	4.60	4.11	5.50	%	—	—
B14c - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	All ages	Persons	2016	5.83	6.48	8.48	%	—	—
B16 - Utilisation of outdoor space for exercise/health reasons	16+ yrs	Persons	Mar 2015 - Feb 2016	12.4 \$	17.5	17.9	%	—	→
B17 - Fuel poverty	Not applicable	Not applicable	2018	12.4	10.1	10.3	%	→	—
B18a - Social Isolation: percentage of adult social care users who have as much social contact as they would like	18+ yrs	Persons	2018/19	48.6	48.0	45.9	%	—	→
B18b - Social Isolation: percentage of adult carers who have as much social contact as they would like	18+ yrs	Persons	2018/19	40.5	35.8	32.5	%	—	→
1.01i - Children in low income families (all dependent children under 20)	0-19 yrs	Persons	2016	23.8	19.5	17.0	%	→	↑
1.10 - Killed and seriously injured (KSI) casualties on England's roads	All ages	Persons	2016 - 18	34.3	49.1	42.6 ~	per 100,000	—	—
1.15i - Statutory homelessness - Eligible homeless people not in priority need	Not applicable	Persons	2017/18	0.45	1.04	0.79	per 1,000	→	→
1.15ii - Statutory homelessness - households in temporary accommodation	Not applicable	Persons	2017/18	0.56	0.38	3.40	per 1,000	↑	↑

C. Health improvement

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
C01 - Total prescribed LARC excluding injections rate / 1,000	All ages	Female	2018	48.6	56.9	49.5	per 1,000	→	↓
C02a - Under 18s conception rate / 1,000	<18 yrs	Female	2018	18.4	19.6	16.7	per 1,000	↓	→
C02b - Under 16s conception rate / 1,000	<16 yrs	Female	2018	2.27	3.17	2.50	per 1,000	↓	→
C03a - Obesity in early pregnancy	Not applicable	Female	2018/19	24.1	24.0	22.1	%	—	—
C03c - Smoking in early pregnancy	Not applicable	Female	2018/19	16.5	17.4	12.8	%	—	—
C04 - Low birth weight of term babies	=37 weeks gestational age at birth	Persons	2018	4.16	3.14	2.86	%	→	→
C05a - Baby's first feed breastmilk	Newborn	Persons	2018/19	59.3	56.4	67.4	%	—	→
C06 - Smoking status at time of delivery	All ages	Female	2019/20	14.1	14.0 ~	10.4	%	→	→
C07 - Proportion of New Birth Visits (NBVs) completed within 14 days	<14 days	Persons	2018/19	99.3	85.7	88.8 [c]	%	—	→
C08a - Child development: percentage of children achieving a good level of development at 2-2½ years	2-2.5 yrs	Persons	2018/19	92.6	87.9	84.1 [c]	%	—	↑
C08b - Child development: percentage of children achieving the expected level in communication skills at 2-2½ years	2-2.5 yrs	Persons	2018/19	90.8	92.0	90.0 [c]	%	—	↓
C08c - Child development: percentage of children achieving the expected level in personal-social skills at 2-2½ years	2-2.5 yrs	Persons	2018/19	95.8	94.9	92.9 [c]	%	—	→
C09a - Reception: Prevalence of overweight (including obesity)	4-5 yrs	Persons	2019/20	22.3 ^	24.1	23.0	%	→	→
C09b - Year 6: Prevalence of overweight (including obesity)	10-11 yrs	Persons	2019/20	40.8 ^	35.8	35.2	%	↑	→
C10 - Percentage of physically active children and young people	5-16 yrs	Persons	2018/19	36.1	45.9	46.8	%	—	→
C11a - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	<15 yrs	Persons	2018/19	125.2	103.2	96.1	per 10,000	→	→
C11a - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	0-4 yrs	Persons	2018/19	162.5	127.0	123.1	per 10,000	→	→
C11b - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	15-24 yrs	Persons	2018/19	198.7	144.2	136.9	per 10,000	→	↑
C12 - Percentage of looked after children whose emotional wellbeing is a cause for concern	5-16 yrs	Persons	2018/19	32.3	40.6	38.6	%	—	→
C14b - Emergency Hospital Admissions for Intentional Self-Harm	All ages	Persons	2018/19	266.2	205.8	193.4	per 100,000	→	↑
C15 - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	16+ yrs	Persons	2018/19	47.2	52.2	54.6	%	—	→
C16 - Percentage of adults (aged 18+) classified as overweight or obese	18+ yrs	Persons	2018/19	65.6	65.4	62.3	%	—	→
C17a - Percentage of physically active adults	19+ yrs	Persons	2018/19	62.4	66.2	67.2	%	—	→
C17b - Percentage of physically inactive adults	19+ yrs	Persons	2018/19	25.5	22.7	21.4	%	—	→
C18 - Smoking Prevalence in adults (18+) - current smokers (APS)	18+ yrs	Persons	2019	16.5	15.7	13.9	%	—	→
C19a - Successful completion of drug treatment - opiate users	18+ yrs	Persons	2018	3.73	4.70	5.82	%	→	↓
C19b - Successful completion of drug treatment - non-opiate users	18+ yrs	Persons	2018	27.8	29.6	34.4	%	→	↓
C19c - Successful completion of alcohol treatment	18+ yrs	Persons	2018	20.0	35.2	37.6	%	↓	↓
C19d - Deaths from drug misuse	All ages	Persons	2017 - 19	6.30	6.20	4.70	per 100,000	—	→
C20 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	18+ yrs	Persons	2019/20	39.1	39.0	34.5	%	→	→
C21 - Admission episodes for alcohol-related conditions (Narrow)	All ages	Persons	2018/19	805.3	729.0	663.7	per 100,000	→	→

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
C22 - Estimated diabetes diagnosis rate	17+ yrs	Persons	2018	85.1	81.9	78.0	%	—	→
C24a - Cancer screening coverage - breast cancer	53-70 yrs	Female	2019	69.5	75.2 ~	74.5 ~	%	↓	↑
C24b - Cancer screening coverage - cervical cancer (aged 25 to 49 years old)	25-49 yrs	Female	2019	67.0	72.8 ~	69.8 ~	%	↓	→
C24c - Cancer screening coverage - cervical cancer (aged 50 to 64 years old)	50-64 yrs	Female	2019	76.8	77.8 ~	76.2 ~	%	↓	→
C24d - Cancer screening coverage - bowel cancer	60-74 yrs	Persons	2019	56.2	61.7 ~	60.1 ~	%	↑	→
C24e - Abdominal Aortic Aneurysm Screening - Coverage	65	Male	2018/19	81.2	83.5 ~	81.3 ~	%	→	→
C26a - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	40-74 yrs	Persons	2015/16 - 19/20	75.0	78.9	87.7	%	—	
C26b - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	40-74 yrs	Persons	2015/16 - 19/20	48.0	45.9	47.1	%	—	→
C26c - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	40-74 yrs	Persons	2015/16 - 19/20	36.0	36.2	41.3	%	—	↓
C27 - Percentage reporting a long term Musculoskeletal (MSK) problem	18+ yrs	Persons	2020	18.0	19.9	18.5	%	—	→
C28a - Self-reported wellbeing - people with a low satisfaction score	16+ yrs	Persons	2018/19	5.01	5.11	4.29	%	—	→
C28b - Self-reported wellbeing - people with a low worthwhile score	16+ yrs	Persons	2018/19	- &	4.34	3.61	%	—	—
C28c - Self-reported wellbeing - people with a low happiness score	16+ yrs	Persons	2018/19	10.9	9.41	7.81	%	—	→
C28d - Self-reported wellbeing - people with a high anxiety score	16+ yrs	Persons	2018/19	21.4	20.6	19.7	%	—	→
C29 - Emergency hospital admissions due to falls in people aged 65 and over	65+ yrs	Persons	2018/19	2438	2105	2198	per 100,000	→	→
C29 - Emergency hospital admissions due to falls in people aged 65-79	65-79 yrs	Persons	2018/19	1246	997.9	1044	per 100,000	→	→
C29 - Emergency hospital admissions due to falls in people aged 80+	80+ yrs	Persons	2018/19	5897	5314	5543	per 100,000	→	→
2.02ii - Breastfeeding prevalence at 6-8 weeks after birth - current method	6-8 weeks	Persons	2018/19	42.3	- [b]	46.2 [c]	%	—	—
2.19 - Cancer diagnosed at early stage (experimental statistics)	All ages	Persons	2017	51.8	50.6	52.2	%	→	→

D. Health protection

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
D01 - Fraction of mortality attributable to particulate air pollution	30+ yrs	Persons	2018	4.60	4.48	5.15	%	—	—
D02a - Chlamydia detection rate / 100,000 aged 15 to 24	15-24 yrs	Persons	2019	1252 *	2200 *	2043 *	per 100,000	↓	→
D02b - New STI diagnoses (exc chlamydia aged <25) / 100,000	15-64 yrs	Persons	2019	576.9	644.4	900.3	per 100,000	↑	↑
D03c - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	1 yr	Persons	2019/20	91.8 *	93.6 *	92.6 *	%	↓	→
D03d - Population vaccination coverage - MenB (1 year)	1 yr	Persons	2019/20	91.4 *	93.8 *	92.5 *	%	—	→
D03e - Population vaccination coverage - Rotavirus (Rota) (1 year)	1 yr	Persons	2019/20	87.9 *	91.4 *	90.1 *	%	—	→
D03f - Population vaccination coverage - PCV	1 yr	Persons	2019/20	92.5 *	94.2 *	93.2 *	%	↓	→
D03g - Population vaccination coverage - Hepatitis B (2 years old)	2 yrs	Persons	2019/20	90.0	- [a]	- [a]	%	—	—
D03h - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2 yrs	Persons	2019/20	93.2 *	95.3 *	93.8 *	%	↓	↓
D03i - Population vaccination coverage - MenB booster (2 years)	2 yrs	Persons	2019/20	88.3 *	91.2 *	88.7 *	%	—	↓
D03j - Population vaccination coverage - MMR for one dose (2 years old)	2 yrs	Persons	2019/20	89.9 *	92.6 *	90.6 *	%	↓	↓
D03k - Population vaccination coverage - PCV booster	2 yrs	Persons	2019/20	90.0 *	92.8 *	90.4 *	%	↓	↓
D03l - Population vaccination coverage - Flu (2-3 years old)	2-3 yrs	Persons	2019/20	27.0 *	39.7 ~ *	43.8 *	%	→	↓
D03m - Population vaccination coverage - Hib / MenC booster (2 years old)	2 yrs	Persons	2019/20	89.9 *	92.5 *	90.5 *	%	↓	↓
D04a - Population vaccination coverage - DTaP/IPV booster (5 years)	5 yrs	Persons	2019/20	89.3 *	88.9 *	85.4 *	%	↓	↓
D04b - Population vaccination coverage - MMR for one dose (5 years old)	5 yrs	Persons	2019/20	95.0 *	95.8 *	94.5 *	%	↓	↓
D04c - Population vaccination coverage - MMR for two doses (5 years old)	5 yrs	Persons	2019/20	89.6 *	89.8 *	86.8 *	%	→	↓
D04d - Population vaccination coverage - Flu (primary school aged children)	4-11 yrs	Persons	2019	44.9 *	60.8 ~ *	60.4 ~ *	%	—	—
D04e - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old)	12-13 yrs	Female	2018/19	87.2 *	91.5 *	88.0 *	%	↓	↓
D04f - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old)	13-14 yrs	Female	2018/19	88.6 *	88.4 *	83.9 *	%	—	→
D04g - Population vaccination coverage - Meningococcal ACWY conjugate vaccine (MenACWY) (14-15 years)	14-15 yrs	Persons	2018/19	79.0 *	89.5 *	86.7 *	%	—	↑
D05 - Population vaccination coverage - Flu (at risk individuals)	6 months-64 yrs	Persons	2019/20	42.2 *	45.0 ~ *	44.9 *	%	→	↓
D06a - Population vaccination coverage - Flu (aged 65+)	65+ yrs	Persons	2019/20	72.7 *	73.8 ~ *	72.4 *	%	→	→
D06b - Population vaccination coverage - PPV	65+ yrs	Persons	2019/20	74.0 *	71.2 *	69.0 *	%	↓	→
D06c - Population vaccination coverage - Shingles vaccination coverage (70 years old)	70	Persons	2017/18	44.2 *	46.8 *	44.4 *	%	—	—
D07 - HIV late diagnosis (%)	15+ yrs	Persons	2017 - 19	46.3 *	51.3 *	43.1 *	%	—	→
D08a - Proportion of drug sensitive TB cases who had completed a full course of treatment by 12 months	All ages	Persons	2018	83.1	88.7	83.6	%	→	→
D08b - TB incidence (three year average)	All ages	Persons	2017 - 19	14.4	6.41	8.58	per 100,000	—	→
D09 - NHS organisations with a board approved sustainable development management plan	Not applicable	Not applicable	2015/16	50.0	67.1	66.2	%	—	→
D10 - Adjusted antibiotic prescribing in primary care by the NHS	All ages	Persons	2019	0.96 *	1.00 *	0.95 *	per STAR-PU	—	↓

E. Healthcare and premature mortality

Indicator	Age	Sex	Period	Value	Value (Region)	Value (England)	Unit	Recent trend	Change from previous
E01 - Infant mortality rate	<1 yr	Persons	2017 - 19	6.09	4.23	3.95	per 1,000	—	→
E02 - Percentage of 5 year olds with experience of visually obvious dental decay	5 yrs	Persons	2018/19	36.0	28.7	23.4	%	—	→
E04a - Under 75 mortality rate from all cardiovascular diseases	<75 yrs	Persons	2017 - 19	101.2	80.2	70.4	per 100,000	—	→
E05a - Under 75 mortality rate from cancer	<75 yrs	Persons	2017 - 19	137.6	137.5	129.2	per 100,000	—	→
E06a - Under 75 mortality rate from liver disease	<75 yrs	Persons	2017 - 19	21.5	19.9	18.5	per 100,000	—	→
E07a - Under 75 mortality rate from respiratory disease	<75 yrs	Persons	2017 - 19	48.0	41.2	34.2	per 100,000	—	→
E08 - Mortality rate from a range of specified communicable diseases, including influenza	All ages	Persons	2017 - 19	8.33	11.4	11.2	per 100,000	—	→
E09a - Premature mortality in adults with severe mental illness (SMI)	18-74 yrs	Persons	2015 - 17	102.8	-	90.5	per 100,000	—	—
E09b - Excess under 75 mortality rate in adults with severe mental illness (SMI)	18-74 yrs	Persons	2015 - 17	324.6	-	355.1	%	—	—
E10 - Suicide rate	10+ yrs	Persons	2017 - 19	9.35	12.0	10.1	per 100,000	—	→
E11 - Emergency readmissions within 30 days of discharge from hospital	All ages	Persons	2018/19	17.0	14.1	14.3	%	—	→
E12a - Preventable sight loss - age related macular degeneration (AMD)	65+ yrs	Persons	2018/19	68.0	130.7 ~	112.3	per 100,000	↓	→
E12b - Preventable sight loss - glaucoma	40+ yrs	Persons	2018/19	7.08	16.2 ~	13.2	per 100,000	→	→
E12c - Preventable sight loss - diabetic eye disease	12+ yrs	Persons	2018/19	1.82	4.01 ~	3.10	per 100,000	→	→
E12d - Preventable sight loss - sight loss certifications	All ages	Persons	2018/19	30.2	52.3 ~	43.4	per 100,000	↓	→
E13 - Hip fractures in people aged 65 and over	65+ yrs	Persons	2018/19	538.7	544.5	558.4	per 100,000	→	→
E13 - Hip fractures in people aged 65-79	65-79 yrs	Persons	2018/19	214.5	224.3	237.5	per 100,000	→	→
E13 - Hip fractures in people aged 80+	80+ yrs	Persons	2018/19	1479	1473	1489	per 100,000	→	→
E14 - Excess winter deaths index	All ages	Persons	Aug 2018 - Jul 2019	19.2	17.8	15.1	%	—	→
E14 - Excess winter deaths index (age 85+)	85+ yrs	Persons	Aug 2018 - Jul 2019	28.1	19.6	18.2	%	—	→
E15 - Estimated dementia diagnosis rate (aged 65 and over)	65+ yrs	Persons	2020	78.7 *	70.2 *	67.4 *	%	—	→

Accompanying indicator value notes

symbols	Data note
*	Value compared to a goal (see below)
~	Aggregated from all known lower geography values
\$	Value based on effective sample size <100
^	Interpret with caution - see Notes section in Definitions for details
&	Value cannot be calculated as number of cases is too small
x	LAs are allocated the rate of the police force area within which they sit
@	Value is modelled or synthetic estimate
[a]	Value suppressed due to incompleteness of source data
[b]	Value not published for data quality reasons
[c]	Annual figure includes constituent area(s) with annual figure scaled up data from three quarters' data

Thresholds for indicators that are compared against a goal

Indicator Name	Green	Amber	Red
D02a - Chlamydia detection rate / 100,000 aged 15 to 24	>= 2,300	1,900-2,300	< 1,900
D03c - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	>= 95%	90-95%	< 90%
D03d - Population vaccination coverage - MenB (1 year)	>= 95%	90-95%	< 90%
D03e - Population vaccination coverage - Rotavirus (Rota) (1 year)	>= 95%	90-95%	< 90%
D03f - Population vaccination coverage - PCV	>= 95%	90-95%	< 90%
D03h - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	>= 95%	90-95%	< 90%
D03i - Population vaccination coverage - MenB booster (2 years)	>= 95%	90-95%	< 90%
D03j - Population vaccination coverage - MMR for one dose (2 years old)	>= 95%	90-95%	< 90%
D03k - Population vaccination coverage - PCV booster	>= 95%	90-95%	< 90%
D03l - Population vaccination coverage - Flu (2-3 years old)	>= 65%	40-65%	< 40%
D03m - Population vaccination coverage - Hib / MenC booster (2 years old)	>= 95%	90-95%	< 90%
D04a - Population vaccination coverage - DTaP/IPV booster (5 years)	>= 95%	90-95%	< 90%
D04b - Population vaccination coverage - MMR for one dose (5 years old)	>= 95%	90-95%	< 90%
D04c - Population vaccination coverage - MMR for two doses (5 years old)	>= 95%	90-95%	< 90%
D04d - Population vaccination coverage - Flu (primary school aged children)	>= 65%		<65%
D04e - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old)	>= 90%	80-90%	< 80%
D04f - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old)	>= 90%	80-90%	< 80%
D04g - Population vaccination coverage - Meningococcal ACWY conjugate vaccine (MenACWY) (14-15 years)	>= 90%	80-90%	< 80%
D05 - Population vaccination coverage - Flu (at risk individuals)	>= 55%		< 55%
D06a - Population vaccination coverage - Flu (aged 65+)	>= 75%		< 75%
D06b - Population vaccination coverage - PPV	>= 75%	65-75%	< 65%
D06c - Population vaccination coverage - Shingles vaccination coverage (70 years old)	>= 60%	50-60%	< 50%
D07 - HIV late diagnosis (%)	< 25%	25-50%	>= 50%
D10 - Adjusted antibiotic prescribing in primary care by the NHS	<= mean England prescribing (2013/14)		> mean England prescribing (2013/14)
E15 - Estimated dementia diagnosis rate (aged 65 and over)	>= 66.7% (significantly)	Similar to 66.7%	< 66.7% (significantly)

